

1. IDENTIFICATION

Product Identifier

Product Identity MARTRON DEEP BLACK DYE MLW

Product Code RES-010728

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use Dye used to color anodized aluminum.

Application Method See Technical Data Sheet.

Supplier and Address Martron Inc.

1394-A Walkup Ave Monroe, NC 28110 704-289-1934

Website <u>www.martroninc.com</u>

Emergency Number CHEMTREC 800-424-9300

2. HAZARD IDENTIFICATION

Classification of the Substance or Mixture

Skin Sens. 1; H317

May cause an allergic skin reaction.

Resp. Sens. 1; H334

May cause allergy or asthma symptoms of breathing difficulties if inhaled.

Label Elements

Using the Toxicity Data listed in Section 11 and 12 the product is labeled as follows.



Signal Word DANGER

Hazard Statements

H317 May cause an allergic skin reaction.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

Precautionary Statements

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P285 In case of inadequate ventilation, wear respiratory protection.

<u>Response</u>

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P313 Get medical advice/attention.

Page 2 of 8

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice/attention.

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

Storage

No GHS storage statements

Disposal

P501 Dispose of contents/container in accordance with local/national regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight - %	GHS Classification	Notes
Mordant dyes	100	Not Classified	[1]
CAS Number: Proprietary			
Chromium compounds (as Cr (III))	1.0-5	Skin Sens. 1; H317	[1] [2]
CAS Number: 0007440-47-3		Resp. Sens. 1; H334	
		Eye Irrit. 2; H319	
		Aquatic Chronic 4; H413	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.

4. FIRST AID MEASURES

Description of First Aid Measures

General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the upper and lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the eyes for an additional 15 minutes. Call a physician at once.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

Do not induce vomiting and get medical attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Overview

Health effects of exposure:

Inhalation

Inhalation of dust may cause respiratory irritation. Chromium and certain compounds of chromium has been

^{*}The full texts of the phrases are shown in Section 16.

Page 3 of 8

reported to cause damage to the lungs, resulting in cumulative damage.

Ingestion

May cause gastric disturbances.

Skin

May cause sensitization on repeated contact. Dermatitis has been reported from repeated contact with chromium compounds.

Eves

Contact may cause irritation.

Chromium

The Department of Health and Human Services (DHHS), the International Agency for Research on Cancer (IARC), and the EPA have determined that the hexavalent form of chromium, chromium (VI), CAS# 18540-29-9 is a known human carcinogen. This compound is the trivalent form of chromium, and not the hexavalent form of chromium. See Section 2 for further details.

Inhalation

May cause allergy or asthma symptoms of breathing difficulties if inhaled.

Skin

May cause an allergic skin reaction.

5. FIREFIGHTING MEASURES

Extinguishing Media

Water, CO2, dry chemical

Special Hazards Arising from the Substance or Mixture

Hazardous decomposition: Burning may produce carbon, nitrogen and sulfur. Avoid breathing dust/fume/gas/mist/vapors/spray.

Advice for Firefighters

Unusual fire/explosion hazards: Organic dusts have potential to be explosive with static spark or flame initiation. Adequate ventilation and clean-up must be maintained to minimize dust accumulation. Firefighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ERG Guide No. ----

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Put on appropriate personal protective equipment (see Section 8).

Environmental Precautions

Do not allow spills to enter drains or waterways. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and Material for Containment and Cleanup

Wear prescribed protective equipment. Vacuum or sweep up material and place in a designated container immediately. Prevent run off to drains, sewers or other public waterways. Waste material may be disposed of by a licensed waste facility contractor.

7. HANDLING and STORAGE

Precautions for Safe Handling

Avoid contact with eyes, skin, and clothing. Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands and face before eating, drinking, and smoking. Do not expose to friction or shock. See Section 2 for further details. - [Prevention]:

Conditions for Safe Storage, Including Any Incompatibilities

Handle containers carefully to prevent damage and spillage. Incompatible materials: No data available. Store in original container, in a cool, dry location. Close package tightly after removal of product. Avoid dust formation. Keep away from sources of ignition. See Section 2 for further details. - [Storage]:

Specific End Use(s)

No data available.

8. EXPOSURE CONTROLS and PERSONAL PROTECTION

Control Parameters

Exposure

CAS#	Ingredient	Source	Value
0007440-47-3	Chromium compounds	OSHA	TWA 1 mg/m3 [*Note: The PEL also applies to insoluble
	(as CR {III})	ACGIH	chromium salts.]
		NIOSH	TWA: 0.5 mg/m3 (III)
		Supplier	TWA: 0.5 mg/m3
			No Established Limit
Proprietary	Mordant dyes	OSHA	No Established Limit
	-	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf*) TWA, ACGIH 10 mg/m3.

Carcinogen Data

CAS#	Ingredient	Source	Value
0007440-47-3	Chromium	OSHA	Select Carcinogen: No
	compounds	NTP	Known: No; Suspected: No
	(as Cr {III})	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No
Proprietary	Mordant dyes	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No

Exposure Controls

Respiratory

An appropriate NIOSH approved respirator for dust should be worn. Use type N95 (US) or type P1 (EN 143) dust masks.

Eves

Wear safety glasses with side shields.

Skin

Wear a rubber or plastic apron. Wear clothing suitable to avoid skin contact and clean after every shift. Wear impermeable rubber or plastic gloves.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Page 5 of 8

Other Work Practices

Eye wash fountain and emergency showers are recommended. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See Section 2 for further details. - [Prevention]

9. PHYSICAL and CHEMICAL PROPERTIES

Appearance Black Powder Odor Not Specified **Odor Threshold** Not Measured Not Measured Melting Point/Freezing Point Not Measured Initial Boiling Point/Boiling Range Not Measured Flash Point Not Measured **Evaporation Rate (Ether = 1)** Not Measured Flammability (solid, gas) Not Applicable **Upper/Lower Flammability or Explosive Limits Lower Explosive Limit:** Not Measured

Lower Explosive Limit:

Upper Explosive Limit:

Vapor Pressure (Pa)

Vapor Density

Specific Gravity

Not Measured
Not Measured
Not Measured
Not Measured

Solubility in Water Approximately 50 g/l (72F)

Partition Co-Efficient n-octanol/water (Log Kow)Not MeasuredAuto-Ignition TemperatureNot MeasuredDecomposition TemperatureNot MeasuredViscosity (cSt)Not Measured

Other Information No other relevant information.

10. STABILITY and REACTIVITY

Reactivity

Hazardous Polymerization will not occur.

Chemical Stability

Stable under normal circumstances.

Possibility of Hazardous Reactions

No data available.

Conditions to Avoid

No data available.

Incompatible Materials

No data available.

Hazardous Decomposition Products

When used and handled as directed, none.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Ingredient	Oral LD50, mg/kg	Skin Ld50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Mordant dyes –	No data	No data	No data	No data	No data
(Proprietary)	available	available	available	available	available
Chromium compounds (as	422.00, Rat -	No data	No data	No data	No data
CR {III}) - (7440-47-3)	Category: 4	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	-	Not Applicable
Acute toxicity (dermal)	-	Not Applicable
Acute toxicity (inhalation)	-	Not Applicable
Skin corrosion/irritation	-	Not Applicable
Serious eye	-	Not Applicable
damage/irritation		
Respiratory sensitization	1	May cause allergy or asthma symptoms of breathing difficulties if inhaled.
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	-	Not Applicable
Carcinogenicity	-	Not Applicable
Reproductive toxicity	-	Not Applicable
STOT – single exposure	-	Not Applicable
STOT – repeated exposure	-	Not Applicable
Aspiration hazard	-	Not Applicable

12. ECOLOGICAL INFORMATION

<u>Toxicity</u>
Very toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 Fish, mg/l	48 hr EC50 Crustacea, mg/l	ErC50 Algae, mg/l
Mordant dyes – (Proprietary)	Not Available	Not Available	Not Available
Chromium compounds (as CR {III}) – (7440-47-3)	77.50, Pimephales promelas	1.20, Daphnia magna	580.00 (72 hr), Chlorella pyrenoidosa

Persistence and Degradability

There is no data available on the preparation itself.

Bio-accumulative Potential

Not Measured

Mobility in Soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other Adverse Effects

No data available.

Page 7 of 8

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Observe all federal, state and local regulations when disposing of this substance.

14. TRANSPORT INFORMATION

DOT (Domestic Surface Transportation)

UN Number Not Applicable
UN Proper Shipping Name Not Regulated
Transport Hazard Class(es) Not Applicable
Packing Group Not Applicable

IMO/IMDG (Ocean Transportation)

UN Number
UN Proper Shipping Name
Transport Hazard Class(es)
Sub Class
Packing Group
Not Applicable
Not Applicable
Not Applicable
Not Applicable
Marine Pollutant - No

ICAO/IATA

UN Number Not Regulated UN Proper Shipping Name Not Regulated

Transport Hazard Class(es) Not Applicable (Air Class)

Packing Group Not Applicable

Special Precautions for User

No further information

15. REGULATORY INFORMATION

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification

D2A

US EPA Tier II Hazards

Fire No
Sudden Release of Pressure No
Reactive No
Immediate (Acute) Yes
Delayed (Chronic) No

EPCRA 311/312 Chemicals and RQs (lbs.)

Chromium compounds (as Cr (III)) (5,000.00)

EPCRA 302 Extremely Hazardous

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals

Chromium compounds (as Cr (III))

Page 8 of 8

Proposition 65 - Carcinogens (>0.0%)

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%)

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%)

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%)

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%)

Chromium compounds (as Cr (III))

Pennsylvania RTK Substances (>1%)

Chromium compounds (as Cr (III))

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers / users of this product must comply with all applicable health and safety laws, regulations, and orders.

The Full Text of the Phrases Appearing in Section 3 is:

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

This is the first version in the GHS Safety Data Sheet (SDS) format. Listings of changes from previous versions in other formats are not applicable.

We believe all the data and information given is accurate as of the date of preparation and is offered in good faith, but without warranty or representation. Since conditions of use are beyond our control, we disclaim all liability for reliance thereon. This is offered solely for your consideration, investigation and verification.

3/25/15